

INFANTS AND MATERNAL DEATHS IN BICOL REGION, 2022

Top 10 Leading Causes of Infant Deaths

Respiratory distress of newborn
210 (14.6%)

Pneumonia, Organism Unspecified 126 (8.8%)

Congenital pneumonia
111 (7.7%)

Bacterial sepsis of newborn
107 (7.4%)

Other gastroenteritis and colitis of infectious and unspecified origin
82 (5.7%)



1,437
Registered Infant Deaths

Neonatal aspiration syndromes
66 (4.6%)

Other congenital malformations of heart 65 (4.5%)

Birth asphyxia
50 (3.5%)

Disorders related to short gestation and low birth weight, not elsewhere classified
32 (2.2%)

Other sepsis
30 (2.1%)



170 (11.8%)
deaths before reaching age 1

444 (30.9%)
deaths within the first 7 days

146 (10.2%)
deaths within the first 28 days

Top 10 Leading Causes of Maternal Deaths

| ICD-10 Codes | Description | Registered Deaths | % |
|--------------|---|-------------------|------|
| O15 | Eclampsia | 29 | 19.0 |
| | Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium | 24 | 15.7 |
| O99 | | | |
| O14 | Pre-eclampsia | 22 | 14.4 |
| O72 | Postpartum haemorrhage | 18 | 11.8 |
| | Complications of the puerperium, not elsewhere classified | 15 | 9.8 |
| O90 | | | |
| O62 | Abnormalities of forces of labour | 8 | 5.2 |
| O44 | Placenta praevia | 4 | 2.6 |
| | Maternal infectious and parasitic diseases classifiable elsewhere but complicating pregnancy, childbirth and the puerperium | 4 | 2.6 |
| O98 | | | |
| O03 | Spontaneous abortion | 3 | 2.0 |
| | Pre-existing hypertension complicating pregnancy, childbirth and the puerperium | 3 | 2.0 |
| O10 | | | |

153
registered maternal deaths

Age Group

30-34

highest proportion of maternal deaths



672

TOTAL REGISTERED FETAL DEATHS

